



Killing the Alarms

Moving from Reactive Noise to Autonomous Action

How Rapax AI Empowers Carriers to Finally Turn the Lights Out on Manual Operations

Shawn Ennis

Founder & CEO, Rapax

shawn@citus.cloud

Target Audience: CTO, COO, CFO, VP of Operations

rapax.app

The End of Reactive Operations

Your best engineers are currently network janitors. The industry's most elite minds spend 80% of their time watching legacy monitors, manually correlating alarms, and fixing configuration errors that a machine should have never allowed in the first place.

In an era of "Infinite Bandwidth vs. Finite Revenue," this human-centric operational model has become a dangerous bottleneck. With 70% of network outages rooted in human error, the "human-in-the-loop" is no longer your greatest asset — it is your single greatest point of failure.



The Telco "Scissors Effect"

North American and European carriers are caught in a crushing vice: 5G and XGS-PON deployments have exploded network complexity, while the experienced workforce that understands these systems is retiring en masse. Traditional OSS/BSS platforms — built as monolithic, reactive silos — cannot scale to meet this demand. Every minute spent on manual triage is revenue lost and customer trust eroded.

Rapax and the Autonomous Carrier

Rapax is not a legacy tool with an AI "bolt-on." It is an AI-native, cloud-agnostic platform designed to move carriers from reactive "War Rooms" to a Lights-Out NOC. By deploying a fleet of specialized AI Digital Employees — agents that reason, plan, and execute — Rapax transforms the NOC into a self-healing ecosystem.

Strategic Impact

- Decouple Growth from OpEx: A NOC that previously required 30+ operators can now be managed by 4–5 strategic engineers, with AI assistants handling the routine 24/7.
- Sub-Second Activation: Move from hour-long manual correlations to 37-second autonomous root-cause identification.
- Carrier-Grade Resilience: Built for "Five Nines" (99.999%) availability with an active-active, multi-datacenter architecture that scales from 10 to 100,000+ devices.



Autonomous Root-Cause Identification

Down from 30–60 minutes of manual alarm correlation

The window to lead this transformation is closing. Carriers that continue to rely on manual "janitorial" engineering will be left behind by those who embrace the Autonomous Carrier. Rapax doesn't just monitor your network — it empowers you to finally turn the lights out.

The Foundation: From Data Lakes to Data Activation

Most Tier 1 and Tier 2 carriers are drowning in data but starving for action. Traditional "Data Lakes" are where telemetry goes to die — stored in high-latency silos that AI agents cannot access in real-time. Rapax replaces this stagnant model with an AI-Native Data Fabric designed for sub-second activation.

Cloud-Native, Cloud-Agnostic, and Four-Wall Secure

In North American and European markets, data sovereignty and vendor lock-in are chief concerns for the C-Suite.

- **Deployment Freedom:** Rapax is built on a Kubernetes-based microservices architecture. It runs natively on AWS, Azure, and GCP, but can also be deployed entirely on-premise ("within your four walls") using open-source models like Llama 3 or Mistral.
- **Privacy by Design:** By hosting the "brain" locally, carriers ensure that sensitive network topology and customer metadata never leave their secure perimeter, satisfying even the most stringent GDPR and NERC-CIP requirements.

The Dual-Path Architecture: Hot Path vs. Cold Path

To enable a "Lights-Out" environment, the platform must distinguish between "immediate survival" and "long-term optimization." Rapax handles this via a unique dual-track system:

Hot Path — Redis Streams

The platform's nervous system. It processes streaming telemetry and alerts in sub-milliseconds. When a fiber cut occurs, the agents (Victor and Wade) are notified instantly, enabling sub-40 second triage.

Cold Path — OpenSearch

The platform's memory. It stores petabytes of historical data, allowing agents like Sheila (Security) and Ernie (Energy) to perform deep trend analysis and cost-risk modeling without slowing down the real-time response.

Hyper-Scalability: The "Elastic NOC"

Traditional OSS platforms break when a major storm or mass-call event floods the system with alarms. Rapax utilizes KEDA (Kubernetes Event-driven Autoscaling) to scale its collection and analysis workers dynamically.

- **Small-Scale Efficiency:** Start with a small footprint for regional Tier 3 operations (approx. \$4,000–\$6,000/mo in cloud compute).
- **Tier 1 Elasticity:** Automatically scale to handle 100,000+ devices across multiple datacenters, maintaining an Active-Active "Five-Nines" posture that ensures the Lights-Out NOC never goes dark.

The "Bruce" Factor: Future-Proofing through Integration

The platform is only as good as the data it receives. Unlike legacy systems that require months of professional services to add a new device type, the Rapax architecture allows Bruce (Business Rules Upgrade Customization Engineer) to build and deploy new integrations in hours. As your network evolves from 5G to 6G or expands its fiber footprint, the brain stays updated in real-time.

The Fleet: Scaling with Digital Employees

When you deploy Rapax, you are not just installing software — you are onboarding a fleet of AI assistants. Each is pre-trained on carrier-grade network protocols, operational best practices, and regional compliance standards, and continues to learn the specific nuances of your network as it integrates with your local systems.

The Digital Employee Roster

These agents replace manual "janitorial" tasks with autonomous reasoning and action:

Agent	Operational Mandate	Strategic Impact
Victor (Incident Controller)	Triage and outage recovery. Detects parent errors, determines the fix, and executes remediation or dispatch.	37-Second Triage: Replaces manual correlation that traditionally takes 30–60 minutes.
Wade (Diagnostic Engine)	Executes troubleshooting procedures and remediation workflows for Tier 2 incidents.	MTTR Reduction of 50–70%: Automates 40–50% of complex troubleshooting incidents.
Otto (Network Engineer)	Understands network changes; creates and primes scripts for human-approved remote execution.	Configuration Safety: Directly addresses the 70% of outages rooted in human configuration error.
Grace (Alert Comm)	Handles Tier 1 customer interactions, triage, and automated stakeholder notifications.	60–70% Ticket Automation: Improves NPS by +10 to 15 points through immediate response.
Sheila (Security/Audit)	Monitors all configuration and operations of humans and agents for compliance (NERC CIP, SOC2).	Risk Avoidance: Acts as an autonomous safety guardrail, preventing costly compliance violations.
Ernie (Energy Saver)	Analyzes utilization and performs cost/risk analysis to suspend idle infrastructure and save money.	15–20% OpEx Savings: Dynamically powers down hardware layers based on real-time traffic patterns.

Richie (Revenue Integrity)	Monitors the buy-to-bill cycle to detect and escalate errors in provisioning and delivery.	33–40% Reduction in Billing Fallout: Prevents the 3–5% annual revenue leakage common in manual billing reviews.
---------------------------------------	--	--

Single-Agent vs. Multi-Agent Workflows

The true power of the Lights-Out NOC is realized in the shift from isolated tasks to an Agentic Swarm.

- **Single-Agent (Task-Based):** Useful for linear, discrete operations. For example, Richie detects a billing discrepancy and fixes the invoice, or Grace answers a customer's status query autonomously.
- **Multi-Agent (The Autonomous Swarm):** For high-complexity events like fiber cuts. Victor identifies the parent outage, Wade runs hardware diagnostics, Otto primes the recovery script, and Grace notifies all affected customers — simultaneously and in parallel.

Impact Analysis: The New Bottom Line

The transition to this fleet allows carriers to decouple network growth from labor costs. A NOC that previously required 30+ full-time operators can now be managed by 4–5 strategic engineers — allowing human capital to move from "maintaining the past" (OpEx) to "building the future" (CapEx).

- **Cost Avoidance (Truck Rolls):** 30–40% reduction through Wade's remote diagnostic and remediation capabilities.
- **Revenue Protection:** Richie and Sheila ensure customer SLAs are tracked in real-time, preventing the "un-billed services" that erode margins across Tier 1 and Tier 2 providers.

Operational Financials: Scaling the "Brain"

A Lights-Out NOC requires a platform that scales linearly with network complexity without a corresponding explosion in OpEx. Rapax achieves this through a cloud-native architecture supporting four distinct deployment models tailored to carrier size and maturity.

The Economics of the AI Platform

Unlike legacy OSS platforms with rigid licensing and massive upfront hardware costs, Rapax offers predictable monthly cloud-based modeling or a CapEx-focused on-premises option for data sovereignty:

Deployment Tier	Network Scale	Monthly Infrastructure Cost (AWS EKS)	SLA / Availability
Proof of Concept	100–1,000 devices	\$4,000 – \$6,000	Evaluation Only
Regional / Tier 2	1,000–100,000 devices	\$18,000 – \$42,000 (Optimizable to \$18k–\$24k)	99.99% (52 min/yr)
Tier 1 Multi-DC	100,000+ devices	\$70,000 – \$130,000	99.999% (5.26 min/yr)

The Labor Arbitrage: Digital vs. Human

The financial breakthrough of Rapax lies in the decoupling of network growth from headcount.

- The "Janitor" Reduction: A NOC that previously required 30+ full-time operators can transition to a strategic team of 4–5 engineers, with AI assistants managing the 24/7 routine.
- High-Value Reinvestment: This shift allows carriers to reduce NOC headcount by 40–60%, reinvesting those savings into capital-heavy network expansion (5G, XGS-PON) rather than operational upkeep.

Cost Avoidance & Revenue Integrity

1. Truck Roll Avoidance: By leveraging Wade's remote diagnostic and remediation workflows, carriers see a 30–40% reduction in field dispatches.
2. Billing Integrity (Richie): Autonomously monitoring the buy-to-bill cycle prevents the 3–5% annual revenue leakage common in manual billing reviews.
3. SLA Breach Mitigation: Victor's 37-second triage and real-time SLA tracking allow carriers to restore service before penalties trigger, protecting high-margin business contracts.

Carrier-Grade Resilience: The "Five Nines" Blueprint

To support mission-critical North American and European Tier 1 networks, Rapax is built on an Active-Active Multi-Datacenter architecture. This model ensures that even if one datacenter experiences a catastrophic failure, the second datacenter — coordinated by the Replication Bot — maintains full network surveillance and automation leadership.

- Self-Healing Automation: Utilizing KEDA, the platform automatically scales its collection and analysis workers based on real-time network demand, ensuring the brain never slows down during a mass-outage event.

99.999%

"Five Nines" Platform Availability

Active-Active multi-datacenter architecture — 5.26 minutes of allowable downtime per year

Strategic Research & Benchmarks

Industry Data

- The Cost of Human Error: 70% of network outages are caused by human configuration errors. — Uptime Institute: Annual Outage Analysis
- The "Scissors Effect": Growing gap between exponentially increasing bandwidth demand and plateauing revenue per bit. — GSMA Intelligence: The State of Mobile 2024
- Autonomous Operation Impacts: Zero-touch network initiatives are projected to reduce operational expenditures by up to 30% by 2026. — Nokia Bell Labs: The Path to Autonomous Operations
- Proactive Customer Resolution: Automating communication during outages can improve NPS by 10 to 15 points. — MobileLive 2026 Report
- Billing & Revenue Integrity: Autonomous detection of billing fallout can reduce revenue leakage by 33–40%. — Socium 2026: Revenue Assurance in the Age of Agentic AI

Compliance & Security Frameworks

- SOC 2 Type II: Validates internal controls related to security, availability, and confidentiality. — AICPA Trust Services Criteria
- NERC CIP: Ensures critical infrastructure protection for utilities and national grid operators. — NERC Critical Infrastructure Protection Standards
- ISO/IEC 27001: The international standard for managing information security.

Infrastructure Performance Standards

- "Five Nines" (99.999%) Standard: High-availability benchmark limiting annual downtime to 5.26 minutes. — Uptime Institute: Standard Tier Classifications
- Cloud-Native Agility: Kubernetes (K8s) for horizontal scaling and self-healing is the gold standard for modern carrier-grade software. — Cloud Native Computing Foundation (CNCF): Kubernetes Case Studies

A Call to Action for Leadership




The window to lead this transformation is closing as the gap between AI-native carriers and legacy operators becomes a competitive chasm. To bridge this divide, leadership must act on three fronts:

4. Pivot Human Capital: Formalize the shift of roles from NOC Operators to Agent Orchestrators.
5. Adopt a "Zero-Touch" Philosophy: Continually challenge every manual process by asking, "Why does a human need to touch this?"
6. Bridge the Legacy Gap: Use the Rapax Fleet to integrate your current "brownfield" reality into a modernized, autonomous future.

Rapax doesn't just offer a tool; it offers a finish line for the era of reactive noise. By choosing to "Kill the Alarms," you are choosing to empower your organization to finally turn the lights out on manual operations and lead the next generation of carrier excellence.

Start the Conversation

The window to lead this transformation is closing. If the "Scissors Effect" resonates — if your engineers are spending more time watching dashboards than building the future — Rapax was designed for exactly this moment.

 Product Website rapax.app	 Sales Inquiry sales@rapax.app	 See It In Action youtube.com/@RapaxAI
---	--	--

Or book 15 minutes directly: cal.com/shawn-ennis
